



Cleaning Routines

Auto Cleaning Routine:

AM - Hot Circulation

PM – Cold Circulation

Manual Cleaning:

Sunday - Cold Detergent Circulation

Monday - Hot Detergent Circulation

Tuesday - Cold Detergent Circulation

Wednesday - Cold Detergent Circulation

Thursday - Hot Detergent followed by Cold Detergent Circulation

Friday - Cold Detergent Circulation

Saturday - Cold Detergent Circulation

Cold Circulation of Milking Equipment:



WASH

1. Wash outside of cluster and attach cluster to jettors. Remove milk filter.



RINSE

2. Rinse plant with 10-15 litres of cold clean water per cluster unit.



CLEANING PREPARATION SOLUTION

3. Make up the cold cleaning solution using an approved caustic detergent at the recommended rate in cold water, allowing 10-15 litres of water per cluster.



CLEANING

4. Allow the first 5-7 litres of cleaning solution to run to waste, and circulate the remainder of the solution for 8-10 minutes.



RINSE

5. Rinse plant with 10-15 litres of cold, clean water per cluster.



DISINFECTION

6. Disinfect the plant by circulating a solution of Peracetic Acid at the manufacturer's recommended usage rate and contact time, allowing 10-15 litres of water per cluster.



CHECK

7. Ensure the milk lines are completely drained before milking.